

PNP90 & PNP90 XT²

PRECISE CONTROL



EXPANDABLE, OEM-BASED RIVET TOOL SYSTEM

They are specifically developed for the most difficult materials such as Ultra High Strength Steels and modern dissimilar laminate materials in the automotive, truck and bus repair industry. The premier **PNP90 XT**² is an adjustable 10 ton pneumatic-hydraulic system for riveting and pressing out self-piercing rivets.

The standard **PNP90** has a pushing (compression) force of 6 tons. Blind rivet capability is also available to run from the same system.

The equipment's universal OEM rivet technology enables adaption of various attachments for different OEM homologated applications.

This universal riveting system can save thousands of dollars versus having to purchase numerous riveting systems as specified individually by various OEMs. Easy to use, lightweight and highly efficient, these riveting tools allow your technicians to complete repairs in record time, saving you both time and money.

EXPANDABLE, OEM-BASED

CAPTURE MORE BUSINESS

UNIVERSAL

This universal riveting system can save thousands of dollars versus having to purchase numerous riveting systems as specified individually by various OEMs.

ADJUSTABLE OPERATING PRESSURE

The premier **PNP90 XT²** is an adjustable 10-ton pneumatic-hydraulic system for riveting and pressing out self-piercing rivets. The standard **PNP90** has a pushing (compression) force of 6-ton. Blind rivet capability is also available to run from the same system.

HIGHLY EFFICIENT

The equipment's universal OEM rivet technology enables adaption of various attachments for different OEM homologated applications.

PERFECT SOLUTION

Specifically developed for the most difficult materials such as ultra high strength steels and modern dissimilar laminate materials in the automotive, truck and bus repair industry.

PNP90 XT², 10-Ton Capacity

FEATURES AND BENEFITS

- OEM HOMOLOGATED this universal system allows for attachments for various OEM homologated applications: riveting, punching, pressing out, calibrating
- PRESSURE RATIO OF 100:1 makes these riverters highly efficient
- PUSH & PULL PNP 90 XT² 2-circuit hydraulic system 10-ton push, 8-ton pull. PNP 90 6 ton pull
- ADJUSTABLE OPERATING PRESSURE the PNP90 XT² dial provides variable adjustment of the working pressure so the output force can be controlled to the desired level
- COLOR CODING & LABELING of the rivet inserts saves time by making it quick and easy to switch punches
- STURDY CONSTRUCTION with low maintenance & long lifetime makes this tool a good investment
- UPGRADABLE from PNP90 to PNP90 XT² with upgrade kit, meet your future workshop needs
- TRAINING & SUPPORT on-site training and local support are available via Academy



UNIVERSAL & EXPANDABLE

OEM BASED UNIVERSAL RIVETING SYSTEM



PNP90 AND PNP90 XT² RIVETING TOOLS ARE THE PERFECT, SINGLE SYSTEM SOLUTIONS FOR COMPLETING ALL OEM HOMOLOGATED BLIND RIVET AND SPR RIVETING OPERATIONS.



PNP 90 Rivet Gun Basic Kit, exc. case







CLAMPS -

 $48080 \; \text{PNP90 XT}^2 \; 10 \; \text{Ton NB} \; 130 \\ 48081 \; \text{PNP90 XT}^2 \; 10 \; \text{Ton NB} \; 240 \\$



45711 PNP 90 6 Ton NB 115 45712 PNP 90 6 Ton NB 230





PRODUCT INFORMATION

AND TECHNICAL DATA

OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES

STORAGE CART RIVET SYSTEM

Part No. 48210

Includes: 4 drawers with custom designed foam inserts to safely hold all system tools, parts and supplies in place.

PNP 90 6 TON RIVET GUN BASIC KIT, EXC. CASE

Part No. 48416

Includes: PNP 90 w/ pressure intensifier, Hydraulic gun, Rivet Clamp NB40, 2 x Locking Pins

NB115 RIVET CLAMP, 6 TON

Part No. 45711

NB230 RIVET CLAMP, 6 TON

Part No. 45712

PNP 90 XT² 10T RIVET GUN

Part No. 48107

Includes: PNP 90 XT 2 with pressure limitation, Hydraulic actuator XT 2 , Adapter Kit 60 kN, Rivet Clamp NB45, Hose Package Duo, DN4, Handle MB, Riveting Tool Kit 1 "Punching" & Riveting Tool Kit 2 "Form flow rivets"

NB130 RIVET CLAMP, 10 TON

Part No. 48080

NB240 RIVET CLAMP, 10 TON

Part No. 48081

FORD MANDREL KIT

Part No.48188

VOLKSWAGEN/AUDI MANDREL KIT

Part No.48161

JAGUAR/LANDROVER MANDREL KIT

Part No. 48151

BMW MANDREL KIT

Part No. 45709

PNP 90 XT² 10T RIVET GUN + BLIND RIVET GUN

Part No. 48109

Includes: PNP 90 XT2, Hydraulic actuator XT, Adapter Kit 60 kN, Rivet Clamp NB 45, 130 & 240, Hose Package Duo-DN4, Handle MB, Riveting Tool Kit 1 "Punching", Riveting Tool Kit 2 "Form flow rivets", Blind Riveting Tool Kit 25 kN, Blind Riveting Tool BNW25, Blind Rivet Nuts Tool Kit BNW 25 kN, Accessories Universal Adaption, Operating Unit, Assembly spanners, aid and Ejector.

BLIND RIVET GUN + BASIC TOOL KIT

Part No. 48112

Includes: Blind Riveting Tool BNW25 with universal adaption and mandrel collector, Accessories Universal Adaption, Operating Unit & Assembly spanners

BLIND RIVET GUN + EXTENDED TOOL KIT,

Part No. 48150

Includes: Blind Riveting Tool BNW25, Blind Riveting Tool Kit 25 kN, Blind Rivet Nuts Tool Kit BNW 25 kN, Accessories Universal Adaption, Operating Unit, Universal adapter, Assembly spanners & aid, Ejector Hose Package Duo, DN4

OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES

CASE FOR PNP 90 / PNP 90 XT² PUMP

CASE FOR BLIND RIVIT TOOL

Part No. 48100

Part No. 48097

PNP 90 TO PNP 90 XT2 UPGRADE KIT

Part No. 48111

Includes: Hydraulic actuator XT², Rivet Clamp NB45, Hose Package Duo-DN4, Handle MB, Riveting Tool Kit 1 "Punching", Riveting Tool Kit 2 "flow form rivets" & Adapter Kit 60 kN

CASE FOR CLAMPS 48080 & 48081

Part No. 48099

BLIND RIVETING NUTS TOOL KIT (FOR 48112)

Part No. 48105

BLIND RIVET TOOL KIT FOR SETTING ALL RIVETS USING THE EJECTOR (FOR 48112)

Part No. 48106

TECHNICAL DATA

PUMP	PNP90	PNP90 XT ²
Length x width x height (without hoses, incl. handle)	330x230x213mm (12,99x9,05x8,38in)	330x260x213mm (12,99x10,23x8,38in)
Weight (without hoses)	7.7 kg	10.6 kg
Max setting force "Push"	60 kN / 6 Ton	100 kN / 10 Ton
Max setting force "Pull"	-	80 kN / 8 Ton
Max input pressure	6 bar / 87 PSI	6 bar / 87 PSI
Max operating pressure	600 bar	600 bar
Hydraulic Gun		
Length x width x height (including handle)	246x50x105mm (9,68x1,96x4,13in)	280x65x185mm (11x2,55x7,28in)
Max. operating pressure	600bar	600 bar
Travel	15mm	50 mm



CAR-O-LINER®





